

Cross-linking Peroxides / Crosslinked Silicone Rubber

Product Name	Chemical Description	Chinese Name	Cas #	XL Temperature (°C)	Safe Processing Temperature (°C)	Active Oxygen
DPIB-40B-gr★	Di(tert-butylperoxyisopropyl)benzene, granules, 40% with inert fillers	双(叔丁基过氧化异丙基)苯 细小颗粒,40%添加于中性填料中	25155-25-3	175	135	3.8
DPIB-40B-pd★	Di(tert-butylperoxyisopropyl)benzene, powder, 40% with inert fillers	双(叔丁基过氧化异丙基)苯 细小颗粒,40%添加于中性填料中	25155-25-3	175	135	3.8
DCP-40S-ps	Dicumyl peroxide, paste, 40% in silicone oil	二异丙苯过氧化物 细小颗粒,40%添加于中性填料中	80-43-3	170	130	2.37
DCP-FF	Dicumyl peroxide, crystalline powder	二异丙苯过氧化物 细小颗粒,40%添加于中性填料中	80-43-3	170	130	5.86
BPO-50S-ps	Dibenzoyl peroxide, paste, 50% in silicone oil	二过氧化苯甲酰 糊状,50%调入硅油中	94-36-0	105	85	3.31
DCBP-50S-ps	Di(2,4-dichlorobenzoyl) peroxide, paste, 50% in silicone oil	二(2,4-二氯苯甲酰)过氧化物 糊状,50%添加于硅油中	133-14-2	90	75	2.1
DMBP-50S-ps★	Di(4-methylbenzoyl) peroxide, paste, 50% in silicone oil	二(4-甲基苯甲酰)过氧化物 糊状,50%溶于硅油中	895-85-2	110	85	2.96
BPDH	2,5-Dimethyl-2,5-di(tert-butylperoxy)hexane	2,5-二甲基-2,5-二(叔丁基过氧化)己烷	78-63-7	175	135	10.14
BPDH-40D-gr	2,5-Dimethyl-2,5-di(tert-butylperoxy)hexane, granules, 40% with inert fillers	2,5-二甲基-2,5-二(叔丁基过氧化)己烷 细小颗粒,40%添加于中性填料中	78-63-7	175	135	4.41
BPDH-45B-pd	2,5-Dimethyl-2,5-di(tert-butylperoxy)hexane, powder, 45% with inert fillers	2,5-二甲基-2,5-二(叔丁基过氧化)己烷 粉料,45%添加于中性填料中	78-63-7	175	135	4.96
BPDH-45D-pd	2,5-Dimethyl-2,5-di(tert-butylperoxy)hexane, powder, 45% with inert fillers	2,5-二甲基-2,5-二(叔丁基过氧化)己烷 粉料,45%添加于中性填料中	78-63-7	175	135	4.96
BPDH-45S-ps	2,5-Dimethyl-2,5-di(tert-butylperoxy)hexane, paste, 45% in silicone oil	2,5-二甲基-2,5-二(叔丁基过氧化)己烷 糊状,45%添加于硅油中	78-63-7	175	135	4.96

BPDH-50D-pd	2,5-Dimethyl-2,5-di(tert-butylperoxy)hexane, powder, 50% with inert fillers	2,5-二甲基-2,5-二(叔丁基过氧化)己烷粉状,50%填加于中性填料中	78-63-7	175	135	5.51
BPYH-45B-pd	2,5-Dimethyl-2,5-di(tert-butylperoxy)hexyne-3, powder, 45% with inert fillers	2,5-二甲基-2,5-二(叔丁基过氧化)己炔-3粉状,45%填加于中性填料中	1068-27-5	185	145	5.03
TBPB	tert-Butyl peroxybenzoate	过氧化苯甲酸叔丁酯	614-45-9	120	75	8.07
TBPB-50D-pd	tert-Butyl peroxybenzoate, powder, 50% with inert fillers	过氧化苯甲酸叔丁酯粉状,50%填加于中性填料中	614-45-9	140	100	4.12