

General Purpose Peroxides

Product Name	Chemical Description	Chinese Name	CAS No.	Max. Storage Temp. (°C)	Min. Storage Temp. (°C)	1 Hour Half Life Temp. (°C)
BCHPC	Di(4-tert-butylcyclohexyl) peroxydicarbonate, powder	双(4-叔丁基环己基)过氧化二碳酸酯粉状	15520-11-3	20		64
BCHPC -W25	Di(4-tert-butylcyclohexyl) peroxydicarbonate, 25% suspension in water	双(4-叔丁基环己基)过氧化二碳酸酯25%悬浮于水	15520-11-3	15	0	64
BCHPC -W40	Di(4-tert-butylcyclohexyl) peroxydicarbonate, 40% suspension in water	双(4-叔丁基环己基)过氧化二碳酸酯40%悬浮于水	15520-11-3	20	0	64
BCHPC -W75	Di(4-tert-butylcyclohexyl) peroxydicarbonate, wet powder or cake, 75% with water	双(4-叔丁基环己基)过氧化二碳酸酯75%湿粉状	15520-11-3	20		64
CEPC-fl	Dicetyl peroxydicarbonate, flakes	过氧化二碳酸二十六酯片状	26322-14-5	20		65
CEPC-W33	Dicetyl peroxydicarbonate, 33% suspension in water	过氧化二碳酸二十六酯33%悬浮于水中	26322-14-5	15	0	65
CEPC-W40	Dicetyl peroxydicarbonate, 40% suspension in water	过氧化二碳酸二十六酯40%悬浮于水中	26322-14-5	15	0	65
CEPC-90W	Dicetyl peroxydicarbonate, powder, 90% with water	过氧化二碳酸二十六酯粉状,90%含水	26322-14-5	20		65
MYPC	Dimyristyl peroxydicarbonate, flakes	过氧化二碳酸二十四酯,片状	53220-22-7	15		65
MYPC-W40	Dimyristyl peroxydicarbonate, 40% suspension in water	过氧化二碳酸二十四酯,40%悬浮于水中	53220-22-7	15	0	65
TBPND	tert-Butyl peroxyneodecanoate	过氧化新癸酸叔丁酯	26748-41-4	-10	-30	64
TBPND-C75	tert-Butyl peroxyneodecanoate, 75% solution in odorless mineral spirits	过氧化新癸酸叔丁酯75%溶于无嗅矿物油	26748-41-4	-10	-25	64

TBPND-W40	tert-Butyl peroxyneodecanoate, 40% emulsion in 1,2-propanediol and water	过氧化新癸酸叔丁酯 40%悬浮于水和丙二醇中	26748-41-4	-10	-20	64
TBPNH-C75★	tert-Butyl peroxyneoheptanoate, 75% solution in odorless mineral spirits	过氧化新庚酸叔丁酯 75%溶于无嗅矿物油中	26748-38-9	-10		67
TBPNH-W55★	tert-Butyl peroxyneoheptanoate, 55% emulsion in water	过氧化新庚酸叔丁酯 55%悬浮于水中	26748-38-9	-10	-20	67
EHPC-C65	Di(2-ethylhexyl) peroxydicarbonate, 65% solution in odorless mineral spirits	双(2-乙基己基)过氧化二碳酸酯 65%溶于无嗅矿物油中	16111-62-9	-15	-25	64
EHPC-C75	Di(2-ethylhexyl) peroxydicarbonate, 75% solution in odorless mineral spirits	双(2-乙基己基)过氧化二碳酸酯 75%溶于无嗅矿物油中	16111-62-9	-15	-25	64
EHPC-W40	Di(2-ethylhexyl) peroxydicarbonate, 40% emulsion in water and methanol	双(2-乙基己基)过氧化二碳酸酯 65%溶于无嗅矿物油中	16111-62-9	-15	-20	64
EHPC-W40S	Di(2-ethylhexyl) peroxydicarbonate, flakes, 40% frozen emulsion in water	双(2-乙基己基)过氧化二碳酸酯 40%悬浮于水和甲醇中	16111-62-9	-15	-20	64
EHPC-W50	Di(2-ethylhexyl) peroxydicarbonate, 50% emulsion in water and methanol	双(2-乙基己基)过氧化二碳酸酯 50%悬浮于水和甲醇中	16111-62-9	-15	-20	64
EHPC-W60★	Di(2-ethylhexyl) peroxydicarbonate, 60% emulsion in water and methanol	双(2-乙基己基)过氧化二碳酸酯 60%悬浮于水和甲醇中	16111-62-9	-15	-20	64
BPC-C50	Dibutyl peroxydicarbonate, 50% solution in odorless mineral spirits	二丁基过氧化二碳酸酯 50%溶于无嗅矿物油中	16215-49-9	-20	-30	65

★ Developing product